

===== WPI =====

TI - Eye lotion for treating infection - comprises acidic electrolysed water containing hypochlorous acid

AB - J10236961 Eye lotion having a pH of 2.0-6.0 comprises acidic electrolysed water having a concentration of hypochlorous acid of 10-80 ppm and an oxidation-reduction potential of > 800 mV.

- The acidic electrolysed water is preferably a strong acidic electrolysed water having a pH of 2.0-3.2, a hypochlorous acid concentration of 10-50 ppm and an oxidation-reduction potential of 800-1000 mV. The acidic electrolysed water is used as a solvent of the eye lotion.

- USE - Acidic electrolysed water is used to prevent infection with microorganisms.

- (Dwg.0/0)

PN - JP10236961 A 19980908 DW199846 A61K33/20 002pp

PR - JP19970040444 19970225

PA - (NOBE-N) NOBEL IGAKU KENKYUSHO YG

MC - B05-C07 B05-C08 B14-A01 B14-N03

DC - B04

IC - A61K9/08 ;A61K33/20

AN - 1998-537385 [46]

===== PAJ =====

TI - OPHTHALMIC AGENT USING ELECTROLYTIC ACID WATER

AB - PROBLEM TO BE SOLVED: To pursue the possibility for a use of an electrolytic acid water as an ophthalmic agent by noticing a bactericidal effect thereof and unprejudiced by an idea that the conventional electrolytic acid water is not suitable as a component of the ophthalmic agent.

- SOLUTION: This ophthalmic agent is obtained by using an electrolytic acid water having pH2.0-6.0, 10-80ppm hypochloric acid concentration and >= 800mV oxidation reduction potential(ORP).

PN - JP10236961 A 19980908

PD - 1998-09-08

ABD - 19981231

ABV - 199814

AP - JP19970040444 19970225

PA - NOBEL IGAKU KENKYUSHO:KK

IN - TSUBOTA KAZUO

I - A61K33/20 ;A61K9/08